ALE | Where Everything Connects

Alcatel-Lucent Proactive Lifecycle Management (Palm & Fleet dashboard)

ProActive Li	ifecycle Manageme	nt						4	sauveur	baruch ~
O Summary	🖵 Lifecycle Component	S Licenses	i≡ Fleet Dash	iboard 🥇	🕆 Shopping C		🖋 Support Acti	vation		
Filters THide				ALE Colombe	s EBC Stellar	* > A	ll Product Lines	* >	All Product 1	Models 👻
🗄 LIMITED TI	ME OFFER (Until Mar 31, 2019)								EXTRA	DISCOUNT
Get 10% extra	discount when using PALM to	purchase renewal	of Support Serv	rices.						
OPERATING SYST		ARDWARE LIFECYCLE	0	HARD	WARE SUPPORT	r (3) s	OFTWARE	SUPPORT	
 Released > End of Life: 	6 months ago: 10 : 1	 General Avail End of Life: 1 			RTF: 10 None: 1	AVR: 1			Entitled: 1 Not entitled: 1	1

Alcatel-Lucent ProActive Lifecycle Management provides access to the essential lifecycle information regarding your Alcatel-Lucent Enterprise Wi-Fi® and LAN switching products with minimal effort and cost. It allows your IT staff to ensure that your network is up to date and operating within the best practices. Planning for future network infrastructure budget expenditures is also simplified as the application provides ample notification through an easily identifiable color scheme. ProActive Lifecycle Management is a cloud-based application which works in conjunction with the Alcatel-Lucent OmniVista® 2500 Network Management System (NMS).

Benefits

- Time savings Quickly and easily generate an inventory list of Alcatel- Lucent Enterprise Wi-Fi and LAN switching products on your network. You simply need to log into the portal and export the details from the Device List.
- Risk reduction You can quickly identify devices which need to have their software upgraded, hardware replaced, or support services renewed. This way, you can ensure that your devices are up to date and the network operation risks are minimized.
- Proactive planning Ample notification is provided so you can plan for the future at the pace which is best for your business.
- Easy-to-use interface View the status of your network at a glance from an easily identifiable color scheme. With a couple of mouse clicks you can drill down to obtain details per device.



Datasheet PALM

Overview

In order to use Proactive LifeCycle Management, Alcatel-Lucent OmniVista® Network Management System (NMS) has to be installed at the customer premises. It polls the Alcatel-Lucent Enterprise Wi-Fi and LAN switching products on your network and securely transmits attributes of the products to the Alcatel-Lucent Enterprise cloud. It correlates the product attributes on your network with information within our Customer Relationship Management (CRM) tools and presents you with the status of your products in terms of software lifecycle, hardware lifecycle, warranty, and support status. The information is presented on a web portal, providing a view of the network as a whole or for individual devices.

You can drill down to obtain additional details including:

- Current maintenance release and the generally available release of the operating system for a given device
- Recommended replacements for end-of- sale product
- Start and end dates for the warranty on devices and support service entitlements purchased on devices

Options are available to download release notes for the product's operating systems as well as request a quote to your reseller of Alcatel-Lucent Enterprise solutions for replacement products and support service entitlements.

For each view and table within the ProActive Lifecycle Management application you can download the table. This allows you to capture the status of your network at a moment in time and share the information with colleagues in your organization.

During the installation of the OmniVista 2500 NMS you are presented with the option to enable ProActive Lifecycle Management. If you choose not to enable ProActive Lifecycle Management during the installation, you can enable it at a later date. By default, the product attributes

are pushed from the OmniVista 2500 NMS every two weeks. In addition, an option is available to manually initiate the transmission of the product attributes to the Alcatel-Lucent Enterprise cloud.

Supported products and requirements

The following products are supported in the initial release of ProActive Lifecycle Management.

LAN switches	Min AOS supported	Min Omni
OmniSwitch 9900	AOS 8.4.1.RO2 or greater	4.1.2.R03
OmniSwitch 10K	AOS 7.3.4.RO1 or greater	4.1.2.R03
OmniSwitch 9000E	AOS 6.4.6.218.RO1 or greater	4.1.2.R03
OmniSwitch 6900	AOS 7.3.4.RO1 or greater	4.1.2.R03
OmniSwitch 6860/E	AOS 8.1.1.585.R01 or greater	4.1.2.R03
OmniSwitch 6560	AOS 8.4.1.RO2 or greater	4.1.2.R03
OmniSwitch 6850E	AOS 6.4.6.218.RO1 or greater	4.1.2.R03
OmniSwitch 6850	AOS 6.4.4.707.R01 or greater	4.1.2.R03
OmniSwitch 6855	AOS 6.4.6.218.RO1 or greater	4.1.2.R03
OmniSwitch 6450	AOS 6.6.5.RO2 or greater	4.1.2.R03
OmniSwitch 6350	AOS 6.7.1.147.R01 or greater	4.1.2.R03
OmniSwitch 6250	AOS 6.6.5.RO2 or greater	4.1.2.R03
OmniSwitch 6400	AOS 6.4.5.635 RO2 or greater	4.1.2.R03
OmniSwitch 6865	AOS 8.4.1 RO2 or greater	4.2.2.R01
OmniSwitch 2220	AOS 8.3.1.RO1 or greater	4.2.2.R01
OmniSwitch 6465	AOS 8.5.1.RO1 or greater	4.2.2.R01

LAN switches	Min AOS supported	Min Omni
Wireless LAN /controllers	Min AOS supported	Min OmniVista 2500 version
OmniAccess 4005	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4010	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4030	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4504XM	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4604	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4704	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4550	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4650	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4750	AOS-W 6.4.2.6 or greater	4.1.2.R03
OmniAccess 4850	AOS-W 6.4.4.15 or greater	4.1.2.R03
Wireless LAN AP	Min OS supported	Min OmniVista 2500 Version
OAW-AP1101	AWOS 3.0.0.57 or greater	4.2.2.R01
OAW-AP1221/OAW-AP1222	AWOS 3.0.0.57 or greater	4.2.2.R01
OAW-AP1231/OAW-AP1232	AWOS 3.0.0.57 or greater	4.2.2.R01
OAW-AP1251/OAW-AP1251D	AWOS 3.0.0.57 or greater	4.2.2.R01
WAN access	Min OS supported	Min OmniVista 2500 Version
OA 5710	11.00.00.02.05	4.2.2.R01
OA 5720	11.00.00.02.05	4.2.2.R01
OA 5725	11.00.00.02.05	4.2.2.R01
OA 5800	11.00.00.02.05	4.2.2.R01
JA 5800	11.00.00.02.05	4.2.2.RU1

Supported browsers

The following is a list of web browsers supported for use when accessing the ProActive Lifecycle Management web portal.

- Firefox: V44 or greater
- Internet Explorer: V9 or greater
- Safari: V9 or greater
- Chrome: V49 or greater

Information and requests

For further information on ProActive Lifecycle Management or support services for Alcatel-Lucent Enterprise Wi-Fi and LAN switching products, please contact your Business Partner or our sales representative. To find a Business Partner, please use Find A Reseller on our website.

