

Clavister

Feature-rich, entry-level next-generation firewall in a slim form factor

clavister

FEATURES AT-A-GLANCE

- Cost-effective next-generation firewall for any organization, housed in a convenient desktop form-factor
- Next-generation firewall services, including Clavister True Application Control, Clavister Content Security Services and User Identity Awareness
- Powerful stateful firewall with deep-packet inspection gives you a high level of security
- Flexible, dynamic routing and connectivity with support for link aggregation
- Built-in support for both IPsec and SSL VPN offers easy to use remote connectivity
- Central Security Management System included free-of-charge in the Clavister Security Subscription package
- High-end network infrastructure, such as traffic management, High Availability (HA), server load balancing and WAN load balancing, are all included with Clavister Subscriptions
- The perfect solution for small office, branch offices and customer premise equipment (CPE) solutions

The Clavister E80 is a set of next-generation security appliances, built to deliver comprehensive and powerful enterprise-grade firewall services for small branch offices, remote locations and as customer premise equipment (CPE). The Clavister E80 is perfectly suited for solutions where multiple firewalls are deployed, often over geographically dispersed areas, and where there is a strong need for a centralized managed, scalable network security solution.

Next-Generation Firewall Services

True Application Control

Do not be fooled by the small package, this is a real next-generation firewall, providing powerful throughput even when using the advanced security features. It proves that you can get next-generation firewall functionality without having to buy the biggest box on the market. Clavister E80 fully supports True Application Control - one of our next-generation firewall security services.

Enabling True Application Control will help you to manage applications used in your network more safely. With added security you lower your overall risk exposure and as a result, costly security incidents and downtime can be avoided. It also gives you valuable insight in which applications are used by which user, and can therefore prioritize business critical application and increase your overall business productivity.

True Application Control not only recognize more application and data, it understands how these application behave and can act immediately on malicious behavior.

With its unique support for Deep Application Content Control (DACC) technology, our application control can perform in-depth analysis and control of application content with higher degree of control. DACC enables you



Connectivity Choices

The Clavister E80 is equipped with six 1GbE (RJ45) interfaces. All six of the interfaces are real, individual interfaces and not a switch block with limited flexibility.

This means that the Clavister E80 offers great port configurability and that each port can manage VLANs, routing and similar without limitations.

Clavister E80 also support link aggregation, which means that you have the added benefit of maximizing throughput and increase the resilience of your system.

Thanks to the flexible routing available in Clavister E80, you can assign any port to act as your High Available port for a fully supported High Availability solution.



Advanced Routing

The Clavister E80 provide an advanced routing engine, including Policy-Based Routing, with seamless route failover. This allow for Dynamic Policy-Based Routing where traffic can be routed based on dynamic events, such as User Identity, latency, HTTP Get responses, etc.

This enable you to create truly flexible and sophisticated policies that reflect the true requirements of your network.

to understand and visualize Skype IDs, SQL queries, Facebook chat text, VoIP call information and much more.

Clavister SSL Inspection for Application Control provides a high performance and non-intrusive way to identify and control even SSL encrypted applications.

True Application Control is included in the Clavister Security Subscription (CSS) service.

Content Security Services

Having a regular firewall is not enough to prevent attacks from happening on your network. As attacks become more severe and the threat landscape becomes more dynamic, additional measures need to be in place to protect your network. Clavister offers best-of-breed content security services, including Intrusion Detection and Prevention System, networkcentric Anti-Virus from Kaspersky Labs, and Web Content Filtering to add an additional security layer to your firewall. These content security services protect your network from advanced threats your firewall alone cannot stop. The Content Security Services are included in the Clavister Security Subscription (CSS) service.

User Identity Awareness

User Identity Awareness (UIA) provides granular visibility of user identity, and enables you to control network access at the user level. The User Identity Awareness together with our True Application Control functionality will provide you with an extremely powerful and versatile tool for granular visibility and control of "who-does-what-and-when" in your networks. You will have the ability to pinpoint user access to applications across both wired and wireless networks regardless of connecting device.

True Security Values

Clavister Subscriptions

We believe our customers should have choices. We also believe you should have it all. Therefore we offer you a choice between our comprehensive Clavister Product Subscription (CPS), or our all-inclusive, full service option, Clavister Security Subscription (CSS).

Clavister Product Subscription

The Clavister Product Subscription contains a high number of product services, such as software updates, centralized management support and flexible service plans.

CPS includes a hardware replacement service to offer you the best possible protection in case a hardware failure should occur. Finally to ensure you get the best out of your Clavister security gateway, we provide you with around-the-clock support from our award-winning technical support team – your dedicated resource with highly skilled engineers that help you out in case of need. The Clavister Product Subscription keeps your Clavister updated, online and ready for business twenty-four-seven.

Clavister Security Subscription

Clavister Security Subscription is a complete, all inclusive suite of product services. It contains all the services you get with Clavister Product Subscription, but extends the service offering by including a full set of nextgeneration firewall services, such as Clavister True Application Control, Web Content Filtering, Anti-Virus and Intrusion Detection and Prevention (IDP). CSS offers best-in-class content services, which protect you from the more advanced types of malware and exploits. It grants you access to the latest software and signature updates keeping your infrastructure up to date and increasingly more stable and secure.

All Clavister Subscriptions are available in 12, 24, 36, 48 and 60 months service terms, offering you maximum security and flexibility.

For more information about Clavister Subscriptions, see the separate Clavister Subscriptions brochure.

True Flexibility - Get more performance when you need it

Clavister E80 is available in two models, each addressing specific customer requirements. Should your performance needs increase, Clavister offers you the flexibility to upgrade to the more powerful Clavister E80 Pro without having to invest in new hardware. Just simply order the upgrade to your preferred Clavister E80 model and install the new license file. It is as simple as that.

This makes Clavister E80 a low risk choice in dynamic business environments where requirements can change overnight. Clavister provides you the performance when you need it, avoiding high up front investment costs to your security infrastructure or having to worry about costly upgrades.

Uptime Technologies

Clavister E80 comes with powerful features to ensure that your network infrastructure is online and ready for work. Features like High Availability (HA) is fully supported, as well as Fast Route Failover technologies and link aggregation, which ensures that your business is not affected by network downtime caused by link failure or hardware problem. It also support flood protection technologies to increase uptime in case your network is subjected to a Denial-of-Service (DoS) attack.

Powerful Firewall

The Clavister E80 is a next-generation firewall, but it also has all the traditional security features, such as stateful firewall with deep-packet inspection, and it is powered by our own in-house developed network security operating system, the Clavister cOS Core. As well as providing all traditional firewall functions, such as port blocking and proxy server, all Clavister firewall solutions incorporate next-generation firewall features to detect and block sophisticated application-level attacks. This means higher level of security, higher traffic throughput and minimal use of system resources.

Performance

Clavister E80 provides next-generation security services across all points of your network without sacrificing performance throughput. Purpose-built hardware running on our highly efficient network security operating system ensures that the firewall performance throughput is one of the highest in the industry, making sure that your Clavister firewall will not be a bottleneck in your network infrastructure.

Simplicity

We strive to make things easy to understand and easy to use. This includes everything from hardware design to security management. We build highly customizable enterprise-grade firewalls, and despite the inherent complexity, we make an effort of making it easy to use. For example, our highly acclaimed centralized security management system, Clavister InControl uses color-coded attribute groups to provide a clear overview over dependencies that the firewall rules have to each other, making human errors less likely to occur. By combining policies and services into one, firewall policy management can be simplified and more easy to use. This results in fewer policy rules, making it easier to manage and less likely to cause a security breach.

All-Inclusive Security Management

For any network, security management is one of the more important aspects. It has to be intuitive, efficient and easy to use for large enterprises, with multiple firewalls at multiple sites, and even in geographical disperse areas, keeping your security management consistent and cohesive, and up to date is a non-trivial task. All these security management systems are included with our Clavister cOS Core products – free of charge.

Clavister InControl - Centralized Security Management

Clavister InControl offers a comprehensive centralized management solution that will assist and help administrators perform their daily tasks faster, easier and in a more streamlined way. Its intuitive user interface and support for task-driven workflow management guides administrators through complex and repetitive tasks, thereby alleviating the burden of managing large installations. With support for triple-AAA (Authentication, Authorization and Audit) the integrity and configurations managed by the Clavister InControl system is kept under strict control. This level of control makes it easy to use delegated management, allowing specific teams and personnel to access only designated parts of the system.

Clavister InControl can be extended to collaborate with a vast number of other management system with the use of the Clavister InControl Software Development Kit (SDK). The Clavister InControl SDK enables organizations to integrate and extend existing system management tools with Clavister InControl management. For example, optimized provisioning systems or integrated help desk functionality.

Splunk for Clavister

Splunk for Clavister is a comprehensive Web-based reporting system that offers enterprise-level reporting with tight integration with all Clavister cOS Core-based products. Splunk supports real-time data analysis, with Key Performance Indicators (KPI), graphs, tables and long-term trending, scaling from a single Clavister security gateway to large data centers.

Splunk for Clavister enables you to visualize your Clavister security solution, including pinpointing problem areas, thwarted attacks and other security issues, and then turn them into business-level reports. You can also take advantage of the built-in scheduling and distribution features to make sure the right people get the right reports on time.

Other Management Options

In addition to our centralized management solution, we also provide the Clavister Web Management system, an easy-touse Web-based security management solution that works for smaller installations with just a few firewalls. Each product also supports our comprehensive command-line interface (CLI), enabling you to script common tasks.

Next-Generation Firewall Security

By integrating world-class Next-Generation Firewall functionality, such as our Clavister True Application Control, Intrusion Detection and Prevention (IDP), Anti-Virus, Anti-Spam and Web Content Filtering with a stateful firewall with deep packet inspection, IPsec and SSL VPN connectivity, we are able to protect your organization against everything from network layer attacks to application layer threats, and even viruses and worms. While you have full control of who does what, when and with what.

Clavister cOS Core

Clavister cOS Core is our in-house developed, high-performance security network operating system. Every line of code is carefully crafted to ensure that it delivers maximum performance at all times. We take pride in delivering a product that we have full control over, rather than a mashup of open-source components.

Flexibility and Adaptability

Not all networks are created equally. Vast differences in network topology and configuration require a network security gateway to be able to accommodate all these differences. Our security gateways gives you the freedom to set routing policies with extreme granularity. A large number of parameters can be used to construct policies and rules to meet even the most demanding network installation.







Big on Performance - Low on Maintenance

All Clavister security gateways share a common trait: they all support Clavister Service Provisioning Network (CSPN). This secure, high-speed network ensures that all Clavister Security Subscription services are kept updated and current from newly emerging threats. This gives system administrators the freedom to concentrate on running their network without having to worry about having the latest security patches installed.

License Scalability

One important aspect of our products is scalability. Our licensing model offers you the ability to start with your performance needs today and upgrade your product incrementally as your organization grows. You also have the choice of two subscriptions models: the Clavister Security Subscription, our all-inclusive subscription, or the regular Clavister Product Subscription.

Low Total Cost of Ownership


Our goal is to provide a complete security solution that is more cost efficient than our competitors. Clavister security gateways, with their unique set of integrated security features, world-class service and support, and their powerful administration system, enables you to spend less time managing your security environment and keep your network defenses up to date, and thereby lower your network security infrastructure TCO significantly.

Flexible Product – Versatile Solutions

Thanks to its flexibility, Clavister E80 can be used in a number of different scenarios, ranging from a single Clavister E80 to support a small office, to thousands of Clavister E80 appliances located around the world, all connected to a headquarter firewall.

Remote Office Solution

The clustered pair of Clavister E80 Pro's is a perfect solution for managing small remote offices. With its included support for High Availability (HA) and traffic management, the Clavister E80 can easily take care of the incoming traffic.



Small Office Solution

The Clavister E80 is the perfect choice for a small office. With normal traffic patterns it will easily service the needs of most small/branch- offices and if you expand you can easily upgrade to the Clavister E80 Pro. Without having to change your hardware. For optimal redundancy you can cluster two Clavister E80 to ensure you have maximum network uptime levels.

Customer Premise Equipment Solution

When a Managed Security Service Provider (MSSP) wants to install a large number of managed end-points, the Clavister E80 is the premium choice. With its sleek design and small desktop footprint, it will fit nicely into the most sophisticated environment. This enables service providers to set up and operate a premium managed security service based on enterpriseclass security devices in the most cost effective way. Delivering premium security services with a premium next-generation firewall product.

Where to Buy Clavister

For more information about where to buy Clavister products, visit <u>www.clavister.com/partners</u>. Additional resources and customer testimonials can be found at <u>www.clavister.com/resources</u>.

Performance and Capacity	Clavister E80	Clavister E80 Pro
Firewall Performance (plaintext throughput)	2 Gbps	4 Gbps
IPsec VPN Performance (large packets)	100 Mbps	200 Mbps
Maximum Concurrent Connections	250,000	500,000
Maximum Concurrent IPsec VPN Tunnels	100	200
Maximum Concurrent L2TP/PPTP/SSL VPN Tunnels	100	200
Maximum Number of Users	Unrestricted	Unrestricted
Maximum Number of Routing Tables (Virtual Routers)	5	10
Connectivity	Clavister E80	Clavister E80 Pro
Ethernet Interfaces	6 x 1GbE (RJ45)	
Expansion Slot	No	
Interfaces for Management / High Availability (HA)	Configurable	
Configurable Internal / External / DMZ Ports	Yes	Yes
Local Console Port	Virtual Console ¹ - Micro USB	
Link Aggregation IEEE 802.1AX-2008 (Static/LACP)	Yes	Yes
Maximum Number of VLAN Interfaces IEEE 802.1Q	64	128
Service-VLAN Interfaces IEEE 802.1ad (Q-in-Q)	Yes	Yes
¹ The Virtual Console Port requires a system driver to be installed on t	the workstation to get access to the device local co	nsole.
Product Specific Specification		
Form Factor	Desktop	
Dimensions (height x width x depth)	44 mm x 280 mm x 180 mm (1.73 in x 11.02 in x 7.09 in)	
Hardware Weight / Package Weight	1,7 kg (3.75 lb) / 2,6 kg (5,73 lb)
Regulatory and Safety Standards		

Regulatory and Safety Standards	
Safety / EMC	CE/IEC 60950 / FCC class A, CE class A
Power Specifications	
Power Supply (AC) / PSU Rated Power (W)	100-240 VAC, 50-60 Hz, 0.3A / 25 W
Average Power Consumption	12 W / 41 BTU
Redundant Power Supply	No
Acoustic Noise Level	OdB (Fanless)
Environmental	
Cooling	Passive cooling, no moving parts
Humidity	5% to 90% non-condensing
Operational Temperature	5° to 45° C (41° to 113° F)
Vibration (operating/non-operating)	10 ~ 500 Hz, 2G 10min/1 cycle, period for 60min, each along X, Y, Z axes / n/a
Shock (operating/non-operating)	n/a / n/a
Warranty	All Clavister Eagle Series products include a two (2) years standard RMA warranty.

Product Features

Firewall		
Stateful Firewall / Deep Packet Inspection	Yes / Yes	
IP Policies	ALLOW, DROP and REJECT	
Multiple IP Rule Sets	Yes	
User- and Group-Based Policies	Yes	
Scheduled Policies	Yes	
DoS and DDoS Detection and Prevention	Yes	
Threshold Rules (Connection Count and Rate Limits)	Yes	
IP Blacklisting / Whitelisting	Yes / Yes	
TCP Sequence Number Tracking	Yes	
Ingress Filtering / IP Spoofing Protection		
Access Rules	Yes	
Strict Reverse Path Forwarding (RPF)	Yes	
Feasible RPF by using Interface Equivalence	Yes	
Address and Port Translation		
Policy-Based	Yes	
Dynamic NAT (Source)	Yes	
Symmetric NAT	Yes	
NAT Pools	Yes	
Static Source Translation	Yes	
Static Destination Translation (Virtual IP/Port Forward)	Yes	
NAT Hairpinning	Yes	
Server Load Balancing (SLB)		
SLB Distribution Methods	Round-Robin, Connection-Rate	
SLB Monitoring Methods	ICMP Echo, Custom TCP Port, HTTP Request/Response	
SLB Server Stickiness	State, IP Address, Network	

ransparent Mode (Layer 2)	Yes
Routing Mode (Layer 3)	Yes
Aixed Transparent and Routing Mode	Yes
Routing	Yes
Static Routing	Yes
Policy-Based Routing (PBR)	
Scheduled Policy-Based Routing	Yes
/irtual Routing	Yes
Multiple Routing Tables	Yes
_oopback Interfaces	Yes
Route Load Balancing (Equal-Cost Multipath)	Yes
Route Failover	Yes
Route Monitoring Methods	ARP, ICMP Echo, Custom TCP Port, HTTP Request/Response
Source-Based Routing	Yes
Dynamic Routing	
Policy-Based Dynamic Routes	Yes
OSPFv2 Routing Process (RFC2328)	Yes, multiple
OSPFv2 RFC1583 Compatibility Mode	Yes
OSPFv2 over VPN	Yes
Multicast	
Multicast Forwarding	Yes
IGMPv2 Compatibility Mode (RFC2236)	Yes
IGMPv3 (RFC3376)	Yes
IGMP Proxy Mode	Yes
IGMP Snoop Mode	Yes
Transparent Mode (L2 Bridge Mode)	
Policy-Based	Yes
MPLS Passthrough	Yes
Spanning Tree BPDU Relaying	Normal (STP), Rapid (RSTP), Multiple (MSTP), Per VLAN Spanning Tree Plus (PVST+)
P Address Assignment	
Per Interface Address Assignment	Yes
Static	Yes
DHCP Client	Ethernet, VLAN
PPPoE Client	Ethernet, VLAN
PPTP/L2TP Client	Yes
Network Services	Vee multiple
	Yes, multiple
DHCP Server Custom Options	Yes
DHCP Relay	Yes, multiple Yes
P Pool	
Drave ADD	
Proxy ARP	Yes
Dynamic DNS Services	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull
Dynamic DNS Services	Yes
	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull
Dynamic DNS Services Custom HTTP Poster	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull
Dynamic DNS Services	Yes DynDNS.org, Dyns.cx, CJB.net, Peanut Hull Yes
Dynamic DNS Services Custom HTTP Poster Bandwidth Management Policy-Based Bandwidth Management	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes
Dynamic DNS Services Custom HTTP Poster Bandwidth Management Custom HTTP Poster Policy-Based Bandwidth Management Custom HTTP Poster Scheduled Policies Custom HTTP Poster	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes
Dynamic DNS Services Custom HTTP Poster Bandwidth Management Policy-Based Bandwidth Management Scheduled Policies Bandwidth Guarantees/Limits/Prioritization	Yes DynDNS.org, Dyns.cx, CJB.net, Peanut Hull Yes Yes Yes Yes Yes Yes Yes / Yes / Yes
Dynamic DNS Services Custom HTTP Poster Bandwidth Management Policy-Based Bandwidth Management Scheduled Policies Bandwidth Guarantees/Limits/Prioritization DSCP- / ToS-Based	Yes DynDNS.org, Dyns.cx, CJB.net, Peanut Hull Yes Yes Yes Yes Yes Yes/Yes/Yes/Yes Yes
Dynamic DNS Services Image: Constant of the services Custom HTTP Poster Image: Constant of the services Bandwidth Management Image: Constant of the services Policy-Based Bandwidth Management Image: Constant of the services Scheduled Policies Image: Constant of the services Bandwidth Guarantees/Limits/Prioritization Image: Constant of the services DSCP- / ToS-Based Image: Constant of the services Bandwidth Management per Group Image: Constant of the services	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes Yes Yes Yes Yes/Yes/Yes Yes Yes
Dynamic DNS Services Image: Constant of the service	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes Yes Yes/Yes/Yes/Yes Yes Yes Yes Yes Yes Yes
Dynamic DNS Services Image: Constant of the service	Yes DynDNS.org, Dyns.cx, CJB.net, Peanut Hull Yes Yes Yes Yes/Yes/Yes Yes Yes Yes Yes
Dynamic DNS Services Image: Custom HTTP Poster Bandwidth Management Image: Custom HTTP Poster Policy-Based Bandwidth Management Image: Custom HTTP Poster Scheduled Policies Image: Custom HTTP Poster Bandwidth Guarantees/Limits/Prioritization Image: Custom HTTP Poster DSCP- / ToS-Based Image: Custom HTTP Poster Bandwidth Management per Group Image: Custom HTTP Poster Dynamic Bandwidth Balancing between Groups Image: Custom HTTP Poster DSCP Forwarding Image: Custom HTTP Poster DSCP Copy to Outer Header Image: Custom HTTP Poster	Yes DynDNS.org, Dyns.cx, CJB.net, Peanut Hull Yes
Dynamic DNS Services Image: Constant of the services Custom HTTP Poster Image: Constant of the services Bandwidth Management Image: Constant of the services Policy-Based Bandwidth Management Image: Constant of the services Scheduled Policies Image: Constant of the services Bandwidth Guarantees/Limits/Prioritization Image: Constant of the services DSCP- / ToS-Based Image: Constant of the services Bandwidth Management per Group Image: Constant of the services Dynamic Bandwidth Balancing between Groups Image: Constant of the services DSCP Forwarding Image: Constant of the services DSCP Copy to Outer Header Image: Constant of the services Application Control Image: Constant of the services	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes Yes Yes/Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
Dynamic DNS Services Image: Services Custom HTTP Poster Image: Services Bandwidth Management Image: Services Policy-Based Bandwidth Management Image: Services Scheduled Policies Image: Services Bandwidth Guarantees/Limits/Prioritization Image: Services DSCP- / ToS-Based Image: Services Dandwidth Management per Group Image: Services Dynamic Bandwidth Balancing between Groups Image: Services Packet Rate Limits Image: Services DSCP Forwarding Image: Services DSCP Copy to Outer Header Image: Services Application Control Image: Services	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes Yes/Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
Dynamic DNS Services Image: Custom HTTP Poster Bandwidth Management Image: Custom HTTP Poster Bandwidth Management Image: Custom HTTP Poster Policy-Based Bandwidth Management Image: Custom HTTP Poster Scheduled Policies Image: Custom HTTP Poster Bandwidth Guarantees/Limits/Prioritization Image: Custom Poster DSCP- / ToS-Based Image: Custom Poster DSCP- / ToS-Based Image: Custom Poster DSCP- / ToS-Based Image: Custom Poster Dynamic Bandwidth Balancing between Groups Image: Custom Poster DSCP Forwarding Image: Custom Poster DSCP Copy to Outer Header Image: Custom Poster Application Control Image: Custom Poster Recognizable Applications Image: Custom Poster	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes / Yes / Yes / Yes Yes Yes Yes Yes Yes / Yes / Yes
Dynamic DNS Services Image: Constant of the services Custom HTTP Poster Image: Constant of the services Bandwidth Management Image: Constant of the services Policy-Based Bandwidth Management Image: Constant of the services Scheduled Policies Image: Constant of the services Bandwidth Guarantees/Limits/Prioritization Image: Constant of the services DSCP- / ToS-Based Image: Constant of the services Bandwidth Management per Group Image: Constant of the services Dynamic Bandwidth Balancing between Groups Image: Constant of the services Dynamic Bandwidth Balancing between Groups Image: Constant of the services DSCP Forwarding Image: Constant of the services DSCP Copy to Outer Header Image: Constant of the services Application Control Image: Constant Control	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes/Yes / Yes / Yes Yes
Dynamic DNS Services Image: Constant of the services Custom HTTP Poster Image: Constant of the services Bandwidth Management Image: Constant of the services Policy-Based Bandwidth Management Image: Constant of the services Scheduled Policies Image: Constant of the services Bandwidth Guarantees/Limits/Prioritization Image: Constant of the services DSCP- / ToS-Based Image: Constant of the services Bandwidth Management per Group Image: Constant of the services Dynamic Bandwidth Balancing between Groups Image: Constant of the services Dynamic Bandwidth Balancing between Groups Image: Constant of the services DSCP Forwarding Image: Constant of the services DSCP Copy to Outer Header Image: Constant of the services Application Content Image: Content of the services Application Content Control Image: Constant of the services Policy-Based Image: Content of the services	Yes DynDNS.org, Dyns.ox, C.JB.net, Peanut Hull Yes Yes Yes Yes / Yes / Yes / Yes Yes
Dynamic DNS Services I Dustom HTTP Poster I Bandwidth Management I Policy-Based Bandwidth Management I Scheduled Policies I Bandwidth Guarantees/Limits/Prioritization I DSCP- / ToS-Based I Bandwidth Management per Group I Dynamic Bandwidth Balancing between Groups I Dynamic Bandwidth Balancing between Groups I DSCP Forwarding I DSCP Copy to Outer Header I Application Control I Recognizable Applications I Application Content Control I Policy-Based I Policy-Based I	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes/Yes / Yes / Yes Yes
Dynamic DNS Services I Dustom HTTP Poster I Bandwidth Management I Policy-Based Bandwidth Management I Scheduled Policies I Bandwidth Guarantees/Limits/Prioritization I DSCP- / ToS-Based I Bandwidth Management per Group I Dynamic Bandwidth Balancing between Groups I Dynamic Bandwidth Balancing between Groups I DSCP Forwarding I DSCP Copy to Outer Header I Application Control I Recognizable Applications I Application Content Control I Policy-Based I Policy Matching on Application Content (Metadata) I	Yes DynDNS.org, Dyns.ox, CJB.net, Peanut Hull Yes Yes Yes Yes/Yes/Yes/Yes Yes Yes
Dynamic DNS Services Image: Constant of the services Custom HTTP Poster Image: Constant of the services Bandwidth Management Image: Constant of the services Policy-Based Bandwidth Management Image: Constant of the services Scheduled Policies Image: Constant of the services Bandwidth Guarantees/Limits/Prioritization Image: Constant of the services DSCP- / ToS-Based Image: Constant of the services Bandwidth Management per Group Image: Constant of the services Dynamic Bandwidth Balancing between Groups Image: Constant of the services Dynamic Bandwidth Balancing between Groups Image: Constant of the services DSCP Forwarding Image: Constant of the services DSCP Copy to Outer Header Image: Constant of the services Application Content Image: Content of the services Application Content Control Image: Constant of the services Policy-Based Image: Content of the services	Yes DynDNS.org, Dyns.ox, C.JB.net, Peanut Hull Yes Yes Yes Yes/Yes / Yes / Yes Yes

Signature Selection per Policy	Yes	
Policy Actions	Audit, DROP, Bandwidth Management	
Stateful Pattern Matching	Yes	
Protocol and Rate Anomaly Detection	Yes	
Insertion and Evasion Protection	Yes	
Dynamic IP Blacklisting	Yes	
Automatic Signature Updates	Yes	
Policy-Based	Yes	
Protocol Validation	HTTP, HTTPS, FTP, SMTP, POP3, TFTP, SIP, H.323, PPTP, TLS/SSL	
	1111F, 1111FO, 11F, 3141F, FOFO, 111F, 31F, 11.323, FF1F, 1L3/33L	
HTTP / HTTPS	Yes / Yes	
	Yes / Yes	
Audit / Blocking Mode	32	
Classification Categories		
URL Whitelisting / Blacklisting	Yes / Yes	
Customizable Restriction Pages	Yes	
Cloud-Based URL Classification Source	Yes	
SafeSearch Enforcement	Google, Yahoo, Bing	
Anti-Virus		
Supported Protocols	HTTP, HTTPS, FTP, SMTP, POP3	
Stream-Based Scanning	Yes	
File Type Whitelisting	Yes	
Scanning of Files in Archives (ZIP/GZIP)	Yes	
Automatic Updates	Yes	
Anti-Spam		
SMTP DNS Blacklisting	Yes	
SNTP E-mail Rate Limiting	Yes	
File Integrity		
Supported Protocols	HTTP, HTTPS, FTP, SMTP, POP3	
File Type Whitelisting / Blacklisting	Yes / Yes	
File Extension and MIME Type Verification	Yes	
Application Layer Gateway		
HTTP / HTTPS (Content Security)	Yes	
FTP (Content Security, NAT / SAT)	Yes	
TFTP (NAT / SAT)	Yes	
SIP (NAT / SAT)	Yes	
H.323 / H.323 Gatekeeper (NAT / SAT)	Yes	
SMTP (Content Security)	Yes	
POP3 (Content Security)	Yes	
SSL / TLS (Offloading)	Yes	
PPTP (Passthrough, NAT / SAT)	Yes	
IPsec VPN		
nternet Key Exchange	IKEv1	
KEv1 Phase 1	Main Mode, Aggressive Mode	
KEv1 Phase 2	Quick Mode	
Psec Modes	Tunnel, Transport	
KE Encryption	AES, 3DES, DES, Blowfish, Twofish, Cast-128	
Psec Encryption	AES, 3DES, DES, Blowfish, Twofish, Cast-128 AES, 3DES, DES, Blowfish, Twofish, Cast-128, NULL	
AES Key Size	128, 192, 256 SHA 1, SHA 256, SHA 512, MD 5	
KE/IPsec Authentication	SHA-1, SHA-256, SHA-512, MD-5	
Perfect Forward Secrecy (DH Groups)	1, 2, 5, 14, 15, 16, 17, 18	
KE Config Mode	Yes	
Dead Peer Detection (DPD)	Yes	
Pre-Shared Keys (PSK)	Yes	
X.509 Certificates	Yes	
PKI Certificate Requests	PKCS#1, PKCS#3, PKCS#7, PKCS#10	
Self-Signed Certificates	Yes	
Certificate Authority Issued Certificates	Yes, VeriSign, Entrust etc.	
Certificate Revocation List (CRL) Protocols	LDAP, HTTP	
IKE Identity	IP, FQDN, E-mail, X.500 Distinguished-Name	
Security Association Granularity	Net, Host, Port	
Replay Attack Prevention	Yes	
Policy-Based Routing	Yes	

Roaming Client Tunnels	Yes	
NAT Traversal (NAT-T)	Yes	
IPsec Dial-on-Demand	Yes	
IPsec Tunnel Selection Through	Firewall Rule Set, Routing, Policy-Based Routing	
Redundant VPN Tunnels	Yes	
IPsec Passthrough	Yes	
SSL VPN		
TLS/SSL VPN	Yes	
One-Time Client Installation	Yes	
Browser Independent	Yes	
VPN Policy Selection Through	Firewall Rule Set, Routing and Policy-Based Routing	
Split Tunneling	Yes	
SSL VPN IP Provisioning	IP Pool, Static	
L2TP VPN		
L2TPv2 Client (LAC)	Yes	
L2TPv2 Server (LNS)	Yes	
L2TPv3 Client (LAC)	Yes	
L2TPv3 Server (LNS)	Yes	
L2TP over IPsec	Yes	
L2TP Tunnel Selection Through	Firewall Rule Set, Routing, Policy-Based Routing	
L2TP Client Dial-on-Demand	Yes	
L2TPv2 Server IP Provisioning	IP Pool, Static	
Other Tunnels		
PPPoE Client (RFC2516)	Yes	
Unnumbered PPPoE	Yes	
PPPoE Client Dial-on-Demand	Yes	
PPTP Client (PAC)	Yes	
PPTP Client Dial-on-Demand	Yes	
PPTP Server (PNS)	Yes	
PPTP Server IP Provisioning	IP Pool, Static	
MPPE Encryption (PPTP/L2TP)	RC4-40, RC4-56, RC4-128	
Generic Router Encapsulation (RFC2784, RFC2890)	Yes	
6in4 Tunneling (RFC4213)	Yes	
Tunnel Selection Through	Firewall Rule Set, Routing, Policy-Based Routing	
User Authentication		
Local User Database	Yes, multiple	
RADIUS Authentication	Yes, multiple servers	
RADIUS Accounting	Yes, multiple servers	
LDAP Authentication	Yes, multiple servers	
RADIUS Authentication Protocols	PAP, CHAP, MS-CHAPv1, MS-CHAPv2	
XAUTH IKE/IPsec Authentication	Yes	
Web-Based HTTP/HTTPS Authentication	Yes	
Configurable HTTP/HTTPS Front-End	Yes	
L2TP/PPTP/SSL VPN Authentication	Yes	
Single Sign-On		
Device-Based Authentication (MAC Address)	Yes	
ARP Authentication	Yes	
RADIUS Relay	Yes	
Active Directory Integration	Microsoft Windows Server 2003, 2008 R2, 2012	
Client-less Deployment	Yes	
Client Support	iOS, Android, Windows, OSX, Linux	
Security Management		
Centralized Management	Yes, with Clavister InControl. See Clavister InControl datasheet for compatible versions.	
Web User Interface (WebUI)	HTTP and HTTPS	
SSH / SCP Management	Yes / Yes	
Command Line Interface (CLI)	Yes	
Management Authentication	Local User Database, RADIUS	
Remote Fail-Safe Configuration	Yes	
Local Console (RS-232)	Yes	
Traffic Simulation (CLI)	ICMP, TCP, UDP	
Scripting (CLI)	Yes	
Packet Capture (PCAP)	Yes	
Packet Capture (PCAP) System Upgrade	Yes SSH / WebUl / Clavister InControl. Can be upgraded from version 9.00.01 and later.	

SNTP Time Sync	Yes	
Monitoring		
Syslog	Yes, multiple servers	
Clavister Log	Yes, multiple servers	
Real-Time Log	WebUI, Clavister InControl	
Log Settings per Policy	Yes	
Log Export via WebUI	Yes	
SNMPv2c Polling	Yes	
SNMPv2c Traps	Yes	
Real-Time Monitor Alerts (Log Action)	Yes	
Real-Time Performance Monitoring	WebUI, Clavister InControl	

Hardware Key Metrics Monitoring CPU Load, CPU Temperature, Voltage, Memory, Fan, etc.

NOTE: Several third-party log monitoring plug-ins are available for Clavister firewalls. These monitoring plug-ins are either commercially available or via open source.

IPv6

Core Protocols, Phase-2 Router	
Yes	
Static	
ALLOW, DROP and REJECT	
Yes	
Yes	
Yes / Yes	
Yes	
Yes	
Yes	
Yes	
Yes / Yes	
Yes	
Yes	
Yes	
Yes	
Yes	
Yes	
Yes	
Yes / Yes / Yes	
< 800 ms	

Specifications subject to change without further notice.

CID: 9150-0040-24 (2015/03)

About Clavister

Clavister (NASDAQ: CLAV) is a leading security provider for fixed, mobile and virtual network environments. Its award-winning solutions give enterprises, cloud service providers and telecoms operators the highest levels of protection against threats, with unmatched reliability. Clavister's performance in the security sector was recognized with the Product Quality Leadership Award from Frost & Sullivan. The company was founded in Sweden in 1997, with its solutions available globally through its network of channel partners. To learn more, visit <u>www.clavister.com</u>.

Where to Buy www.clavister.com/partners

Contact www.clavister.com/contact





WE ARE NETWORK SECURITY Clavister AB, Sjögatan 6 J, SE-891 60 Örnsköldsvik, Sweden

Phone: +46 (0)660 29 92 00 **Fax:** +46 (0)660 122 50 **Web:** www.clavister.com

Copyright © 2015 Clavister AB. All rights reserved. The Clavister logo and all Clavister product names and slogans are trademarks or registered trademarks of Clavister AB. Other product names and/or slogans mentioned herein may be trademarks or registered trademarks of their respective companies. Information in this document is subject to change without prior notification.